ARO Plank 2 Acoustic Wall System

filzfelt*



ARO Plank 2 has more than a few facets.

ARO Plank 2 is a wall system composed of modular planks that assemble to create standard patterns, yielding a continuous, acoustically absorptive architectural finish. ARO Plank 2 has two faceted modules: Wide (A) and Narrow (B). Modules have angled edges and rotate 180 degrees for additional variation in pattern. Composed of felt-covered acoustic substrate, this module is available in five standard configurations. The planks install quickly and easily with FilzFelt's Interlock Mounting System and are available in over ninety colors.

ARO Plank was designed by Architecture Research Office (ARO), a firm dedicated to architecture that unites beauty and form with strategy and intelligence.






"We strive to convey a sense of calm, warmth, and joy in our product designs as well as through the architecture we design. We take inspiration from both material expression and functionality. We work to elevate spaces through careful attention to detail and use, and to emphasize the responsible use of materials and seek to balance beauty and strategy through design, pattern and texture."


- Architecture Research Office, designers of ARO Plank 2






Exploded Axonometric






ARO Plank 2.1

Repeat: A | Repeat Width: 5 in (12.7 cm)



ARO Plank 2.3

Repeat: B | Repeat Width: 3 in (7.6 cm)




A A ABBA A ABB

ARO Plank 2.5


Repeat: AAABB | Repeat Width: 1'-9" (53.3 cm)

Patterns are shown as suggested installations and may be configured with any combination of FilzFelt colors



ARO Plank 2.2

Repeat: AA* | Repeat Width: 10 in (25.4 cm) * Indicates module is rotated 180°



ARO Plank 2.4

Repeat: BB* | Repeat Width: 6 in (15.2 cm) * Indicates module is rotated 180°



Flammability	Test reports available upon request				
Colorfastness to Crocking	Class 3–4 (wet), Class 4–5 (dry)				
Colorfastness to Light	Class 4–5 (40 hours)				
Acoustics	ASTM C 423: NRC – 0.65, SAA: 0.61				
	100% Wool Design Felt and Akustika 10 contribute to LEED© Living Building Challenge Criteria Compliant Oeko-Tex© Standard 100 Certified Product Class II (100% Wool Design Felt + Akustika 10 Substrate)				
Environmental	100% Wool Design Felt is 100% biodegradable/compostable and Akustika 10 contains minimum 60% post-consumer recycled content and is 100% recyclable Contains no formaldehyde, no chemical irritants, and free of harmful substances				
Variation	Wool felt is a natural material and color variation and inclusions of natural fiber on the surface are evidence of the 100% natural origin of the material. Product color is only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of raw wool and absorption of dyes. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.				
Maintenance	Vacuum occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt. Refer to 100% Wool Design Felt Maintenance + Cleaning for detailed care instructions.				
Installation	Planks install with Interlock Mounting System provided (wall fasteners not included)				
Lead Time	Made to order and certain lead times will apply				
Durability	Contract or residential				
Custom	Alternative patterns, Spinneybeck© leathers, plank lengths beyond 9'-0" (2.74 m), orientations other tha vertical, ceiling-mounted, finished plank ends, finished Interlock Mounting System strapping, and cut- outs are available and must be quoted—details available upon request				
Max. Standard Plank Length	9'-0" (2.74 m)				
Pattern Repeat Widths	ARO Plank 2.1: 5 in (12.7 cm) ARO Plank 2.2: 10 in (25.4 cm) ARO Plank 2.3: 3 in (7.6 cm) ARO Plank 2.4: 6 in (15.2 cm) ARO Plank 2.5: 1'-9" (53.3 cm)				
Suggested Patterns	ARO Plank 2.1: A ARO Plank 2.2: AA* (* indicates plank rotated 180°) ARO Plank 2.3: B ARO Plank 2.4: BB* ARO Plank 2.5: AAABB				
Thickness	1 1/2 in (38.2 mm) (includes Interlock Mounting System strapping)				
Plank Widths	A (Wide): 5 in (12.7 cm) B (Narrow): 3 in (7.6 cm)				
Content	100% Wool Design Felt + Akustika 10 Substrate (60% post-consumer recycled content)				
Designer	Architecture Research Office				
Product	ARO Plank 2				



Standard Colors

487 Pfirsich	023 Koralle	945 Drachenfrucht	221 Himbeere	136 Weinrot	209 Bordeaux	102 Kirsche	201 Rot
					200 Bondada		201110
125 Tomate	179 Hellrot	180 Terracotta	173 Mango	105 Rost	573 Kupfer	116 Orange	495 Abricot
124 Gelb	131 Honig	509 Kamel	550 Ocker	274 Senf	108 Zitrone	403 Mais	535 Sesam
203 Vanille	027 Kartause	384 Lind	713 Kiwi	377 Maigrün	732 Farn	378 Oliv	260 Sprießen
343 D'Grün	435 Smaragd	625 Pinie	248 Jade	472 Minze	575 Salbei	483 Adria	548 Türkis
312 Lagune	345 Pazifik	308 Petrol	698 Dunst	405 Stahl	215 Meer	540 Ozean	533 Indigo
282 D'Blau	111 Traube	626 Azur	647 Kobalt	686 Enzian	272 Royal	286 H'Blau	995 Wasser
458 Bewölkt	284 Himmel	613 Gletscher	551 Eis	113 Immergrün	099 Lila	667 Amethyst	269 Violett
242 Pink	640 Granat	634 Erröten	671 Pfingstrose	255 Flieder	437 Aubergine	250 Trüffelbraun	220 Rehbraun
411 Alpaka	190 Natur-meliert	200 Natur	331 Sahara	311 Mandel	467 Sand	481 Sandstein	100 Wollweiß
110 Rohweiß	160 Beige	529 Champagner	150 Weiß	428 Silber	427 Stein	021 Beton	170 Asche
423 Hellgrau	408 Taupe	175 Graphit	425 Taubengrau	446 Kohle	300 Anthrazit	426 Schwarz	
+20 i iciigiau	400 laupe	ποσιαρίπι	420 IQUUUUUUU		JUU AITUITAZIL	+20 JUIWdIZ	

