

Tuck brings sound-softening into the fold.

Tuck is an acoustic wall tile that highlights the structural properties of wool felt by folding wide felt strips this way and that. The resulting sinuous curves create depth with über dimensionality. Rotate the folded tile to create a myriad of patterns in single or multi-color schemes available in over ninety colors. Plus, a flat accent tile has been thrown into the mix to allow endless options that go up in no time flat.

Tuck was designed by Mia Cullin, an accomplished interior architect and product designer based in Stockholm, Sweden who focuses on traditional craftsmanship and striking construction.







Tuck Cozies up to Turn

Tuck and Turn (along with their flat tile counterparts) come together to create bespoke, textural patterns.

Sound Softening Superpowers

With an NRC of 0.80, the sinuous beauty of Tuck masks some serious sound absorption.

Soft + Subtle or Big + Bold

Go 1-Color or 2-Colors per wall (and tile) to keep it soft and subtle or add some oomph.

Fanciful Folds of Felt

The handcrafted folds of thick wool felt create soft three-dimensional forms.

Go All the Way

Tuck comes in an optional flat tile to allow wall-to-wall installations.

Oodles and Oodles of Colors

With over ninety colors to choose from and up to two colors per tile, the sky's the limit.









"We, as designers, have a responsibility to challenge every new product we make in a world that abounds with things: Does it have character? Does it tell a story? Does it have the force to crave its own place among existing objects?"

- Mia Cullin, designer of Tuck




Exploded Axonometric




1-Color Pattern 1

Code: FF-TUCK-001




2-Color Pattern 1

Code: FF-TUCK-002




1-Color Pattern 2

* Indicates module is rotated 90° or 270° Code: FF-TUCK-003




2-Color Pattern 2

 * Indicates module is rotated 90° or 270° Code: FF-TUCK-004



1-Color Pattern 3

* Indicates module is rotated 90° or 270° Code: FF-TUCK-005




2-Color Pattern 3


* Indicates module is rotated 90° or 270° Code: FF-TUCK-006

Patterns are shown as suggested installations and may be configured with any combination of FilzFelt colors





1-Color Pattern 4
* Indicates module is rotated 90° or 270°
Code: FF-TUCK-007



2-Color Pattern 4

* Indicates module is rotated 90° or 270° Code: FF-TUCK-008

Patterns are shown as suggested installations and may be configured with any combination of FilzFelt colors

Product	Tuck
Designer	Mia Cullin
Content	100% Wool Design Felt + Akustika 10 Substrate (60% post-consumer recycled content)
Tile Options	Tuck A, Tuck B
Tile Size	1'-4" x 1'-4" (40.6 x 40.6 cm)
Thickness	3 1/2 in (88.9 mm)
Thickness Tolerance	±1/16 in (2 mm)
Color Options	1-Color or 2-Color per wall
Custom	3-Color or more per wall is available and must be quoted
Durability	Contract or residential
Lead Time	Made to order and certain lead times will apply
Installation	Install in the pattern as specified and attach to a wall surface using a heavy-duty construction adhesive. Only Tuck B (flat) tiles may be trimmed to size with a utility knife. Refer to Tuck Installation Instructions for complete guidance.
Maintenance	Vacuum occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt. Refer to Product Maintenance + Cleaning for detailed care instructions.
Variation	Wool felt is a natural material and color variation and inclusions of natural fiber on the surface are evidence of the 100% natural origin of the material. Product color is only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of raw wool and absorption of dyes. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
Environmental	100% Wool Design Felt is 100% biodegradable/compostable and Akustika 10 contains minimum 60% post-consumer recycled content and is 100% recyclable Contains no formaldehyde, 100% VOC free, no chemical irritants, and free of harmful substances 100% Wool Design Felt and Akustika 10 contribute to LEED© Download Declare Label Living Building Challenge Criteria Compliant Oeko-Tex© Standard 100 Certified Product Class II (100% Wool Design Felt + Akustika 10 Substrate) Meets VOC test limits for the CDPH v1.2 method
Acoustics	ASTM C 423: NRC – 0.80, SAA – 0.78
Colorfastness to Light	Class 4–5 (40 hours)
Colorfastness to Crocking	Class 3–4 (wet), Class 4–5 (dry)
Flammability	Test reports available upon request
• • • • • • • • • • • • • • • • • • • •	······································



Standard Colors

100% Wool Design Felt



Akustika 10 Substrate

