



Noise Reduction Coefficient (NRC) Ratings

Product	NRC	Product	NRC
1 3mm Wool Design Felt	0.10	ARO Plank 3	0.65
2 Silent-Silo (wood exterior)	0.10	ARO Plank 4	0.65
Figure No. 1-4	0.20	ARO Plank 5	0.65
3 Hanging Panels	0.20	ARO Plank 7	0.65
Index Color Blocked	0.20	14 ARO Plank 8	0.65
Index Dimensional	0.20	Block +	0.65
Index Linear	0.20	15 Wing	0.65
Index Solid	0.20	ARO Grid 2	0.70
Index Wide	0.20	16 Crossover	0.70
4 Lisboa + Porto	0.25	Small Scale	0.70
5 Imprint	0.35	Akustika 10 Wall (Interlock attachment)	0.75
6 Ribsy	0.35	ARO Shingle	0.75
ARO Attach	0.45	17 Flow	0.75
7 ARO Grid 3	0.45	18 Large Scale	0.75
8 ARO Baffle V1 + V2	0.50	Still	0.75
9 Block	0.50	Akustika 25 Ceiling	0.80
10 Facade	0.50	19 ARO Grid 1	0.80
Gap	0.50	ARO Grid 4	0.80
Rille	0.50	ARO Grid 5	0.80
Silent-Silo (felt exterior)	0.50	ARO Plank 2 (with Infill)	0.80
11 Wave	0.50	ARO Plank 3 (with Infill)	0.80
Akustika 10 Wall (Z-Clip attachment)	0.60	ARO Plank 4 (with Infill)	0.80
Arcade	0.60	Tuck	0.80
Bulb	0.60	20 Turn	0.80
Duet	0.60	Akustika 25 Suspended	0.85
12 Ion	0.60	Akustika 10 Wall (Interlock with Infill)	0.85
Hex	0.60	21 Arc	0.85
Horizontal Bar	0.60	ARO Shingle (with Infill)	0.85
Rain	0.60	Akustika 10 Baffle	0.90
Rise	0.60	Muro Plus	0.90
13 Tac-Tile	0.60	22 ARO Grid 6	0.95
Velo	0.60	23 ARO Plank 1	1.00
Vertical Bar	0.60	ARO Plank 6	1.00
Akustika 10 Suspended	0.65	24 Akustika 25 Baffle	1.20
ARO Plank 2	0.65	ARO Baffle	1.20

Noise Reduction Coefficient (NRC) is a representation of the amount of sound energy absorbed upon striking a surface. An NRC of 0 indicates perfect reflection; an NRC of 1 indicates perfect absorption.